



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"distributing" + "providing storage database" + "deceased indi



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **distributing providing storage database deceased individual access directly web sites template setting structure web sites**

Found 1 of 154,226

Sort results
by

relevance



[Save results to a Binder](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new
window

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Research track posters: When do data mining results violate privacy?



Murat Kantarcioğlu, Jiashun Jin, Chris Clifton

August 2004 **Proceedings of the 2004 ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available: pdf (154.22 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Privacy-preserving data mining has concentrated on obtaining valid results when the input data is private. An extreme example is Secure Multiparty Computation-based methods, where only the results are revealed. However, this still leaves a potential privacy breach: Do the results themselves violate privacy? This paper explores this issue, developing a framework under which this question can be addressed. Metrics are proposed, along with analysis that those metrics are consistent in the face of a ...

Keywords: inference, privacy

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)




USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"distributing" + "deceased individual" + "information card" + "



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **distributing deceased individual information card access directly web sites template setting structure web sites**

Found 8 of 154,226

Sort results by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 8 of 8

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Visualization of parallel and distributed systems: Visualization of mobile object environments](#)



Yaniv Frishman, Ayellet Tal

May 2005 **Proceedings of the 2005 ACM symposium on Software visualization**

Full text available: [pdf\(492.22 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a system for visualizing mobile object frameworks. In such frameworks, the objects can migrate to remote hosts, along with their state and behavior, while the application is running. An innovative graph-based visualization is used to depict the physical and the logical connections in the distributed object network. Scalability is achieved by using a focus+context technique jointly with a user-steered clustering algorithm. In addition, an event synchronization model for mobile ...

Keywords: distributed software visualization, mobile objects, software visualization

2 [Logical and physical design issues for smart card databases](#)



Cristiana Bolchini, Fabio Salice, Fabio A. Schreiber, Letizia Tanca

July 2003 **ACM Transactions on Information Systems (TOIS)**, Volume 21 Issue 3

Full text available: [pdf\(1.12 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The design of very small databases for smart cards and for portable embedded systems is deeply constrained by the peculiar features of the physical medium. We propose a joint approach to the logical and physical database design phases and evaluate several data structures with respect to the performance, power consumption, and endurance parameters of read/program operations on the Flash-EEPROM storage medium.

Keywords: Design methodology, access methods, data structures, flash memory, personal information systems, smart card

3 [Research track posters: When do data mining results violate privacy?](#)




Murat Kantarcioğlu, Jiashun Jin, Chris Clifton

August 2004 **Proceedings of the 2004 ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:

Additional Information:

 pdf(154.22 KB)

[full citation](#), [abstract](#), [references](#), [index terms](#)

Privacy-preserving data mining has concentrated on obtaining valid results when the input data is private. An extreme example is Secure Multiparty Computation-based methods, where only the results are revealed. However, this still leaves a potential privacy breach: Do the results themselves violate privacy? This paper explores this issue, developing a framework under which this question can be addressed. Metrics are proposed, along with analysis that those metrics are consistent in the face of a ...

Keywords: inference, privacy

4 Development and evaluation of hypermedia for museum education: validation of metrics ☐

Shoji Yamada, Jung-Kook Hong, Shigeharu Sugita

December 1995 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 2 Issue 4

Full text available:  pdf(1.36 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

To define a hypermedia system's ease of use from the user's point of view, we propose three evaluation metrics: an interface shallowness metric, a downward compactness metric, and a downward navigability metric. These express both the cognitive load on users and the structural complexity of the hypermedia contents. We conducted a field study at the National Museum of Ethnology (NME) in Osaka, Japan, to evaluate our hypermedia system and to assess the suitability of our hypermedia metrics fr ...

Keywords: field study, graph theory, metrics, museum, structural analysis

5 Information retrieval on the web ☐

Mei Kobayashi, Koichi Takeda

June 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 2

Full text available:  pdf(213.89 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper we review studies of the growth of the Internet and technologies that are useful for information search and retrieval on the Web. We present data on the Internet from several different sources, e.g., current as well as projected number of users, hosts, and Web sites. Although numerical figures vary, overall trends cited by the sources are consistent and point to exponential growth in the past and in the coming decade. Hence it is not surprising that about 85% of Internet user ...

Keywords: Internet, World Wide Web, clustering, indexing, information retrieval, knowledge management, search engine

6 Combining a Chinese thesaurus with a Chinese dictionary ☐

Ji Donghong, Gong Junping, Huang Changning

August 1998

Full text available:  pdf(523.71 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

 [Publisher Site](#)

In this paper, we study the problem of combining a Chinese thesaurus with a Chinese dictionary by linking the word entries in the thesaurus with the word senses in the dictionary, and propose a similar word strategy to solve the problem. The method is based on the definitions given in the dictionary, but without any syntactic parsing or sense disambiguation on them at all. As a result, their combination makes the thesaurus specify the similarity between senses which accounts for the similarity b ...

7 SPSL/SPSA a minicomputer database system for structured systems analysis and design ☐

P. G. Sorenson, J. P. Tremblay, A. W. Friesen

October 1981 **Proceedings of the 1981 ACM SIGSMALL symposium on Small systems and SIGMOD workshop on Small database systems**

Full text available:  [pdf\(773.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The field of computer-aided systems analysis and design is still very young and therefore, as yet, there are few automated aids in existence. Progress, however, is now being made in computer-aided techniques to be used in the development of information systems. Most of the limited number of automated aids available require large computer systems for their operations. This paper describes a computer-aided systems analysis and documentation system which has been implemented on a PDP-11/40 com ...

8 Visual information seeking: tight coupling of dynamic query filters with starfield displays ☐

Christopher Ahlberg, Ben Shneiderman

April 1994 **Proceedings of the SIGCHI conference on Human factors in computing systems: celebrating interdependence**

Full text available:  [pdf\(1.62 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: database query, dynamic queries, information seeking, starfield displays, tight coupling

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **capturing distributing memories deceased individual**

Found 2 of 154,226

Sort results by

Display results

[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Systems: The networked sensor tapestry \(NeST\): a privacy enhanced software architecture for interactive analysis of data in video-sensor networks](#)



Douglas A. Fidaleo, Hoang-Anh Nguyen, Mohan Trivedi

October 2004 **Proceedings of the ACM 2nd international workshop on Video surveillance & sensor networks**Full text available: [pdf\(674.07 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper details the architecture of a test-bed under development for secure sharing, capture, distributed processing, and archiving of surveillance data called the Networked Sensor Tapestry (NeST). The test-bed consists of core software modules including a centralized server, client interface library, a layered XML messaging scheme. Mobile hardware clients are interfaced to the NeST using a Tiny-OS based microcontroller with sensor data collected over a 1-wire data bus. Maintaining subject ...

Keywords: privacy, surveillance architecture, video-sensor networks

2 [Article abstracts with full text online: A general framework for constructing application cooperating system in Windows environment](#)



Baomin Xu, Weimin Lian, Qiang Gao

March 2003 **ACM SIGSOFT Software Engineering Notes**, Volume 28 Issue 2Full text available: [pdf\(185.07 KB\)](#)Additional Information: [full citation](#), [abstract](#)

We often need to discuss or modify the results generated by single-user CAD applications when they are applied to cooperative design. To our knowledge, however, almost all the existing cooperative systems or tools, such as shared white-board and application sharing, have some limitations when used for to such task. When considering these limitations, we have coined the term "Application Cooperating" which means to retain the original features of the single-user CAD applications and when using th ...

Keywords: CSCW, application sharing, collaboration-aware, group awareness

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((distribut* <and> (deceas* <near> individual) <and> (direct* <near> access*..."

Your search matched 0 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE

Indexed by
 Inspec®

**IEEE Xplore**
RELEASE 2.0[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)☒ e-mail

Results for "((distribut* <paragraph> ('deceased individual') <in>metadata))"

Your search matched 0 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

Refine Search

Search Results -

Terms	Documents
(L13 or L14 or L15 or L16) and L3	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Friday, May 13, 2005 [Printable Copy](#) [Create Case](#)
Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L19</u>	(L13 or L14 or L15 or L16) and L3	0	<u>L19</u>
<u>L18</u>	L17 and template	3	<u>L18</u>
<u>L17</u>	(L11 or L12) and L3	8	<u>L17</u>
<u>L16</u>	709/229.ccls.	2365	<u>L16</u>
<u>L15</u>	709/225.ccls.	1785	<u>L15</u>
<u>L14</u>	709/219.ccls.	3019	<u>L14</u>
<u>L13</u>	709/217.ccls.	3199	<u>L13</u>
<u>L12</u>	709/\$.ccls.	36215	<u>L12</u>
<u>L11</u>	707/\$.ccls.	26606	<u>L11</u>
<u>L10</u>	L8 and (web near site\$1)	15	<u>L10</u>
<u>L9</u>	L8 and (unique near address\$3)	1	<u>L9</u>
<u>L8</u>	L3 and network	73	<u>L8</u>
<u>L7</u>	L5 and (unique near address\$3)	1	<u>L7</u>
<u>L6</u>	L5 and user	9	<u>L6</u>

<u>L5</u>	L4 and card	9	<u>L5</u>
<u>L4</u>	L3 and ("web sites")	17	<u>L4</u>
<u>L3</u>	"deceased individual"	198	<u>L3</u>
<u>L2</u>	"memories deceased individual"	8	<u>L2</u>
<u>L1</u>	"distributing memories deceased individual"	3	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L5 and (unique near address\$3)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, May 13, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L7</u>	L5 and (unique near address\$3)	1	<u>L7</u>
<u>L6</u>	L5 and user	9	<u>L6</u>
<u>L5</u>	L4 and card	9	<u>L5</u>
<u>L4</u>	L3 and ("web sites")	17	<u>L4</u>
<u>L3</u>	"deceased individual"	198	<u>L3</u>
<u>L2</u>	"memories deceased individual"	8	<u>L2</u>
<u>L1</u>	"distributing memories deceased individual"	3	<u>L1</u>

END OF SEARCH HISTORY